

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

### **Serial Number:**

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Monday  
Date: 7/10/2006

Time: 16:16:46

**PALM INTRANET**

## Inventor Information for 10/691265

| Inventor Name  | City       | State/Country |
|----------------|------------|---------------|
| CRUM, JESSE D. | FORT SCOTT | KANSAS        |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign I](#)

Search Another: Application#

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

|                         |              |          |    |   |           |           |                      |
|-------------------------|--------------|----------|----|---|-----------|-----------|----------------------|
| US<br>20060093792<br>A1 | US-<br>PGPUB | 20060504 | 12 | Method of producing faux embossments on business communication substrates and products produced thereby   | 428/172   |           | Crum;<br>Jesse<br>D. |
| US<br>20060093776<br>A1 | US-<br>PGPUB | 20060504 |    | Pressure sensitive laminate assembly having faux patterned embossments for use with business communication documents and method of creating a business document | 428/40.1  |           | Crum;<br>Jesse<br>D. |
| US<br>20050255298<br>A1 | US-<br>PGPUB | 20051117 | 14 | Linerless label with starch based release coating and method of creating  | 428/195.1 |           | Crum,<br>Jesse<br>D. |
| US<br>20050200117<br>A1 | US-<br>PGPUB | 20050915 |    | Fracturable coated substrates for producing removable communication elements  | 283/62    |           | Crum,<br>Jesse<br>D. |
| US<br>20050191972<br>A1 | US-<br>PGPUB | 20050901 |    | COMPACT ELECTRONIC COMMUNICATION DEVICE WITH SELF-MOUNTING FEATURE AND METHOD OF REMOVABLY COUPLING SUCH A DEVICE TO A SURFACE                                  | 455/90.3  | 455/575.1 | Crum,<br>Jesse<br>D. |
| US<br>20050167973<br>A1 | US-<br>PGPUB | 20050804 |    | Business form intermediate suitable for document carriage or portage through processing   | 283/62    |           | Crum,<br>Jesse<br>D. |
| US<br>20050166035<br>A1 | US-<br>PGPUB | 20050728 |    | System and method for generating images on ferromagnetic materials  | 712/25    | 710/5     | Crum,<br>Jesse<br>D. |
| US                      | US-          | 20050728 |    | Printable magnetic  | 428/200   | 427/128;  | Crum,                |

|                         |              |          |  |  |           |                                 |                       |
|-------------------------|--------------|----------|--|--|-----------|---------------------------------|-----------------------|
| 20050163980<br>A1       | PGPUB        |          |  | laminate having frangible coating for cleanly separable elements   |           | 427/131;<br>428/333;<br>428/409 | Jesse D.              |
| US<br>20050156017<br>A1 | US-<br>PGPUB | 20050721 |  | Folder for use with presentations having variably configurable pocket arrangement  | 229/67.1  | 229/72                          | Crum, Jesse D. et al. |
| US<br>20050106364<br>A1 | US-<br>PGPUB | 20050519 |  | Printed communication materials having reduced odor and textural or tactile properties   | 428/195.1 |                                 | Crum, Jesse D.        |
| US<br>20050087977<br>A1 | US-<br>PGPUB | 20050428 |  | Composite form assembly with frangible bonded layers formed in-situ  | 283/62    |                                 | Crum, Jesse D.        |
| US<br>20050087976<br>A1 | US-<br>PGPUB | 20050428 |  | Laser compatible business form having magnetic layer and method of using same  | 283/61    |                                 | Crum, Jesse D.        |
| US<br>20050058828<br>A1 | US-<br>PGPUB | 20050317 |  | Communication substrates having variably applied ferromagnetic material, ferromagnetic composition and a system and method of applying the material to a substrate | 428/329   | 428/334                         | Crum, Jesse D.        |
| US<br>20050058814<br>A1 | US-<br>PGPUB | 20050317 |  | Lay flat business form product from discontinuous and differential substrates with removable elements  | 428/195.1 |                                 | Crum, Jesse D.        |
| US<br>20050058811<br>A1 | US-<br>PGPUB | 20050317 |  | Joined web business form construction having removable elements  | 428/192   |                                 | Crum, Jesse D.        |
| US<br>20050057038<br>A1 | US-<br>PGPUB | 20050317 |  | Coated lay flat business form assembly with integral cards   | 283/106   |                                 | Crum, Jesse D.        |

|                         |              |          |  |   |           |   |                           |
|-------------------------|--------------|----------|--|---|-----------|---|---------------------------|
| US<br>20050046176<br>A1 | US-<br>PGPUB | 20050303 |  | Communication<br>substrates having<br>variably applied<br>ferromagnetic<br>material,<br>ferromagnetic<br>composition and a<br>system and method of<br>applying the material<br>to a substrate | 283/82    | 252/62.56;<br>270/52.02;<br>428/206;<br>428/208 | Crum,<br>Jesse<br>D.      |
| US<br>20040247366<br>A1 | US-<br>PGPUB | 20041209 |  | Die cut sheet with<br>applied coating carrier   | 400/621   |   | Crum,<br>Jesse<br>D.      |
| US<br>20040211512<br>A1 | US-<br>PGPUB | 20041028 |  | Magnetic enclosure<br>for display of visual<br>indicia and images<br>and method of<br>producing   | 156/291   | 428/209   | Crum,<br>Jesse<br>D.      |
| US<br>20040091299<br>A1 | US-<br>PGPUB | 20040513 |  | Die cut sheet with<br>applied coating carrier   | 400/621   |   | Crum,<br>Jesse<br>D.      |
| US<br>20040090061<br>A1 | US-<br>PGPUB | 20040513 |  | FORM HAVING<br>ABUTTING TAPE-<br>INTERCONNECTED<br>SUBSTRATES AND<br>METHOD OF<br>MAKING SAME   | 283/61    |   | Crum,<br>Jesse<br>D.      |
| US<br>20040077388<br>A1 | US-<br>PGPUB | 20040422 |  | Compact electronic<br>communication<br>device with self-<br>mounting feature and<br>method of removably<br>coupling such a<br>device to a surface   | 455/575.3 | 379/433.11                                      | Crum,<br>Jesse<br>D.      |
| US<br>20030049404<br>A1 | US-<br>PGPUB | 20030313 |  | Composite form<br>including carrier page<br>with detachable card  | 428/42.3  | 428/40.1  | Mercer,<br>Merl et<br>al. |
| US<br>20030049403<br>A1 | US-<br>PGPUB | 20030313 |  | Composite form with<br>imprintable magnetic<br>card   | 428/42.3  | 428/138;<br>428/43;<br>428/60                   | Crum,<br>Jesse et<br>al.  |
| US 7029001<br>B2        | USPAT        | 20060418 |  | Form having abutting<br>tape-interconnected<br>substrates and method<br>of making same  | 270/52.08 | 226/196.1;<br>270/52.12                         | Crum;<br>Jesse<br>D.      |
| US 6986953<br>B2        | USPAT        | 20060117 |  | Printable magnetic<br>laminate having   | 428/692.1 | 428/693.1                                       | Crum;<br>Jesse            |

|               |       |          |  |  |           |   |                          |
|---------------|-------|----------|--|--|-----------|---|--------------------------|
|               |       |          |  | frangible coating for cleanly separable elements   |           |   | D.                       |
| US 6984083 B2 | USPAT | 20060110 |  | Die cut sheet with applied coating carrier   | 400/621   | 156/277;<br>283/81;<br>428/198;<br>428/43   | Crum;<br>Jesse<br>D.     |
| US 6982114 B2 | USPAT | 20060103 |  | Magnetic enclosure for display of visual indicia and images and method of producing  | 428/192   | 211/13.1;<br>40/124.04;<br>40/711;<br>428/195.1;<br>428/40.1;<br>428/41.9;<br>428/42.1;<br>428/42.2;<br>428/42.3;<br>428/58 | Crum;<br>Jesse<br>D.     |
| US 6977114 B2 | USPAT | 20051220 |  | Communication substrates having variably applied ferromagnetic material, ferromagnetic composition and a system and method of applying the material to a substrate | 428/323   | 428/336   | Crum;<br>Jesse<br>D.     |
| US 6947777 B2 | USPAT | 20050920 |  | Compact electronic communication device with self-mounting feature and method of removably coupling such a device to a surface                                     | 455/575.3 | 455/550.1;<br>455/90.3  | Crum;<br>Jesse<br>D.     |
| US 6773181 B2 | USPAT | 20040810 |  | Die cut sheet with applied coating carrier   | 400/621   | 156/277;<br>283/81;<br>428/198;<br>428/43   | Crum;<br>Jesse<br>D.     |
| US 6743493 B2 | USPAT | 20040601 |  | Composite form with imprintable magnetic card  | 428/42.2  | 206/460;<br>206/489;<br>206/733;<br>206/734;<br>224/183;<br>283/101;<br>283/81;<br>283/82;                                  | Crum;<br>Jesse et<br>al. |

|                  |       |          |  |   |          |  |                             |
|------------------|-------|----------|--|---|----------|--|-----------------------------|
|                  |       |          |  |   |          | 283/98;<br>428/131;<br>428/133;<br>428/192;<br>428/40.1;<br>428/42.3;<br>428/57;<br>428/60 |                             |
| US 6368688<br>B1 | USPAT | 20020409 |  | Pharmacy form and<br>label                              | 428/41.8 | 283/81;<br>428/42.2;<br>428/42.3;<br>428/43  | Crum;<br>Jesse<br>D. et al. |
| US 6340512<br>B1 | USPAT | 20020122 |  | Integrated card form<br>with intermittent<br>securement | 428/42.2 | 428/40.1;<br>428/61;<br>428/67   | Mercer;<br>Merl et<br>al.   |